


10/512, 032.

C of C

Patent No. 7,059,932
Request for Cert. of Correction dated August 17, 2006
Attorney Docket No. 4623-045365



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 7,059,932 Confirmation No. 2269
Inventor : Tobias et al.
Issued : June 13, 2006
Title : Spinning Toy
Examiner : Alyssa M. Lowen
Customer No. : 28289

Certificate
AUG 24 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. 1.322(a))

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ATTENTION: Decision and Certificate of Correction Branch
Patent Issue Division

Sir:

In accordance with 35 U.S.C. §254, we attach hereto Form PTO/SB/44 and a copy of proof of PTO errors and request that a Certificate of Correction be issued in the above-identified patent. The following errors appear in the patent as printed:

Face of the Patent, See Item (57) ABSTRACT, line 3, "A sting is attached" should read -- A string is attached --
(See the Abstract as filed, line 3.)

Column 8, Line 8, Claim 14, "forces" should read -- force --
(See the Supplemental Preliminary Amendment dated October 20, 2005, page 3, Claim 32, Line 4. Claim 32 issued as Claim 14.)

Respectfully submitted,

THE WEBB LAW FIRM

By 

Richard L. Byrne
Registration No. 28,498
Attorney for Registrants
700 Koppers Building
436 Seventh Avenue
Pittsburgh, PA 15219
Telephone: (412) 471-8815
Facsimile: (412) 471-4094

AUG 25 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,059,932
APPLICATION NO. : 10/512,032
ISSUE DATE : June 13, 2006
INVENTORS : Tobias et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Face of the Patent, See Item (57) ABSTRACT, line 3, "A sting is attached" should read -- A string is attached --

Column 8, Line 8, Claim 14, "forces" should read -- force --

MAILING ADDRESS OF SENDER: The Webb Law Firm
700 Koppers Building
436 Seventh Avenue
Pittsburgh, PA 15219-1845

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-2450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select Option 2.



SPINNING TOY

The present invention relates to a spinning toy, and particularly to a yo-yo type toy.

5 Background of the Invention


In their simplest form yo-yo's have been known since ancient times. The traditional yo-yo design comprises a spool where two disc bodies are attached by an axle. A
10 length of string is securely tied to the axle or, in more modern designs, the string is looped around the axle to allow free movement of the string relative to the spinning spool.

15 More sophisticated yo-yo designs aim to increase game flexibility and play 'tricks' by reducing spinning friction and introducing 'sleeping' action, which is where a user is able to make a yo-yo spin on the end of its string without winding back up. These designs may
20 include mounting the axle on a ball bearing assembly or adding a centrifugal clutch that has the effect of automatically winding the string back onto the yo-yo.

The present spinning toy achieves an even greater
25 flexibility of game playing.


Summary of the Invention

In one aspect of the present invention there is a
30 spinning toy comprising a pair of spaced disc bodies joined by a transverse shaft forming a gap therebetween, a string attached to the shaft in the gap whereby the toy can be spun on the string, and a release mechanism for releasing the attachment of the string on the shaft while
35 the toy is spinning.



ABSTRACT

5 A spinning toy comprises a pair of spaced disc
bodies connected by a transverse shaft forming a gap
therebetween. A string is attached to the shaft in the gap
and the toy can be spun on the string. A release mechanism
10 releases the attachment of the string on the shaft while
the toy is spinning.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No. : 10/512,032
Applicants : **Jacqui TOBIAS et al.**
Filed : July 19, 2005
Title : **SPINNING TOY**
Group Art No. : 3714
Examiner : Not yet assigned.
Customer No. : 28289

MAIL STOP AMENDMENT

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL PRELIMINARY AMENDMENT

Sir:

An Information Disclosure Statement is filed concurrently herewith. Prior to initial examination, please amend the above-identified patent application as follows:

Amendments to the Claims begin on page 2 of this paper.

Remarks begin on page 5 of this paper.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 20, 2005.

Kay E. Yetter

(Name of Person Mailing Paper)

Signature

October 20, 2005

Date

wherein the spindle is captured between the disc bodies and held therebetween on the shaft, and whereby an axial movement of the shaft widens the gap between the disc bodies, hence releasing the spindle.

⁷
Claim 26 (Previously Presented): The spinning toy claimed in claim 25, wherein catches in the gap assist in holding the spindle on the shaft.

⁵
Claim 27 (Previously Presented): The spinning toy claimed in claim 23, wherein the shaft is provided with two different sized diameters, wherein the spindle is attached to the shaft at the larger diameter and axial movement of the shaft exposes the smaller diameter thereby allowing the spindle to detach from the shaft.

¹
Claim 28 (Currently Amended): The spinning toy claimed in claim 19, wherein the release mechanism includes a trigger protruding from the circumference of one of the disc bodies and a biased tab moveable in response to movement of the trigger, whereby movement of the tab releases the shaft to axial movement.

¹⁰
Claim 29 (Currently Amended): The spinning toy claimed in claim 28, wherein the tab has an elongate or large round opening through which the biased shaft extends and is held therein, ~~whereby movement of the tab releases the shaft to axial movement.~~

¹⁰
Claim 30 (Currently Amended): The spinning toy claimed in claim 28, wherein the trigger is a lever pivoted to the ~~same~~ disc body containing the release mechanism.

¹¹
Claim 31 (Currently Amended): The spinning toy claimed in claim 29, wherein the trigger is a lever pivoted to the ~~same~~ disc body containing the release mechanism.

¹
Claim 32 (Currently Amended): The spinning toy claimed in claim 19, further including a clutch engageable with the shaft that prevents axial movement of the shaft, and that disengages from the shaft under, when the spinning toy achieves a predetermined centrifugal forces.